

| Animal id | type | breed              | name  | Tag number | General VetNotes   | vetNotes |
|-----------|------|--------------------|-------|------------|--|----------|
| 340218    | Dog  | Poodle<br>Standard | Sandy | bt5372     | <p>18/1/08 been on treatment for right ear here for recheck - purulent looking discharge in right ear, clean ear and instill surolan bid recheck monday lf 4/2 GA to flush ears swab of left ear to IDEXX lf CULTURE Mixed growth including Heavy growth of Pseudomonas aeruginosa [1] 16/2 infected rt ear cleaned and surolan bid and continue baytil 150 oid vwl</p> <p>Isolate 1 Cephalexin R ChloramphenicolR<br/>Gentamicin S Neomycin R Polymyxin B S<br/>Tobramycin S Ticarcillin S Tetracycline R<br/>Enrofloxacin S Framycetin R Doxycycline R 9/2 slight discharge left eye. 23/2 has been on baytril and malaseb ear wash but has possibly not been having ear wash so BRING TO VET SURGERY DAILY to get done-alc 29/2/08. Stop baytril as ears look good. Cont. daily malaseb washes and surolan bid x 7days. RM 6/3/08. Left ear looks good, flush R ear malaseb. to cont. daily flushes. RM 7/3/08. Baytril for R ear bidx7days. RM 25/3 ears still sl dirty X 2, cont to clean with malaseb flush eod in vet surgery vwl 4/4 l ear needs tx flush each day in vet surg and baytril bid vwl 10/4/08. Ear still bad. To dsx 11/4/08 for GA and flush. RM 11/4/08. Under GA R ear is blackened due to scar tissue in canal, no real infection present. Flushed plucked and cleaned both ears. No madication nec. at this stage. Check ears every wed. bring to vet surg if a problem. RM 20/4/08 R ear canal ulcerated again. Start Surolan again bid. Recheck 3 - 4 days DMc 28/4/08 Does not look to have been treated. Recheck daily &amp; instil surolan (or change?) DMc 29/4/08. No suralan or plan dispensed. Clean ears recheck 7 days. RM 7/5/08 Gone to Ken Mason (AADS) for treatment of ears. 22/5/8 permissin given for excisional biopys 1cm mammary mass - Lisa Mason.DIAGNOSIS:. Benign mixed mammary tumour COMMENTS:.This neoplasm appears benign, based primarily on the lack of a tendency to invade surrounding connective tissue. However, if there are enlarged regional lymph nodes these should be examined by</p> |          |

|        |     |                 |       |        |   |   |
|--------|-----|-----------------|-------|--------|---|---|
|        |     |                 |       |        | cytology or histopathology. Bitches that develop mammary neoplasms may develop additional independent tumours in the future. These will not necessarily be of the same histologic type and should be excised as soon as detected and evaluated histologically. MARGINS:.In the plane of section examined, excision appears complete.  |   |
| 340219 | Dog | Poodle Standard | Daisy | bt5753 | 22/2/08 small growth found in lesion on back of dog, swollen around hole, kefvet 500 1t bid vwl 21/5/08 Hx shaking head and scratching at the ears R mores so than the L. GPE increased hair and brown yeast smelling wax down both ear canals. Tx plucked ears as much as the dog would tolerate, cleaned ears with saline and start on Surolan 10-15 drops BID for 12 days, stop for 2 days, then rchk. NB dog may require G/A to have ears plucked properly. CBeutel.  | 19/3/08 Not eating this am, still BAR, no V/D, feeding pups well, no d/c from vulva, mammary glands nad, T 39.6. Tx Amoxyclav 250 (10) 1 tab BID for 5 days. CBeutel. |
| 340220 | Dog | Poodle Standard | Molly | bt5595 | 9/2 left ear cleaned. Needs dental. 14/3/08. Came in with 2 pups approx 2 weeks old. Given epiotic and swabs to wipe ears out daily. Only dirty especially left ear. Eyes very messy, cleaned tid, given tricin use tid. Girl pup ? starting snuffles. Observe at present RM 28/5/08 Sore L ear. Increased brown waxy d/c down the L ear 2 days after being cleaned, R ear small amt of brown waxy d/c. Tx Surolan 10-15 drops BID for 10-14 days. CBeutel. 15/3 Female pup very chesty still feeding well start both pups on cephalixin 200 1/8 tab bid 8d. mum slight cough on tracheal palp supplied linctol but just monitor for now If 24/5/08. Check ears very clean just hairy needs an ear pluck at groom. RM 28/5/08brown waxy discharge L ear 2 days after cleaning, surolan drops to both ears bid x 10 days. RM 6/6/08. Bilateral entropion, minor, right worse than left. RM 8/6/08. Clean both eyes and lids, surgery looks OK.RM 11/6/08. S/R, looks OK. RM 14/6/08. Stop eye and ear meds, just wipe eyes |   |

|        |     |                    |       |        |   |
|--------|-----|--------------------|-------|--------|---|
|        |     |                    |       |        | daily. RM 19/6/08. Eyes look good. RM 1/7/08 fitted with tick collar and had bath   |
| 340221 | Dog | Poodle<br>Standard | Arnie | bt5894 | <p>9/2 Had bloody paws 3/2 (written on wht board), issue seems resolved. 27/3/8 Very underweight, to start on a feeding plan tomorrow, hills puppy food, 1 &amp; 1/2 cups, 3 times daily AP</p> <p>3/4/8 Recorded a loss of 100g, remain on feeding plan and re-assess in 1 week AP 16.4.08 Recored weight loss of 200grams.</p> <p>21/4/8 Feeding chart has not been brought up to update in 1 month! Needs to increase to 1&amp;1/2 cups Hills pup dry &amp; 1/3 can per meal, 3 times daily AP 7/5/8 Weighed in at 16.4kg, still needs to increase weight, feed Hills Pup dry 1&amp;3/4 cups &amp; 1 can per meal, 3 times daily AP 13/5/08. Teeth OK. RM 15/5/8 Starting to gain weight now, maintain on current feeding program AP 3/6/8 Has gained and is still gaining, continue on feeding plan of 1 &amp; 3/4 dry H/Pup and 1 can hills Pup. AP 5/6/08. Clip hotspots on back, h2o2 on back. 6/6/08. Back looks good, put on tick collar, respray back with peroxide. Unable to give suprelorin s/c (5 attempts). RM 10/6/8 Has lost some weight since last week; continue on 1&amp;3/4 cups dry &amp; 1&amp;1/3 can puppy AP 24/6/8 Remain on current feeding plan AP 2/7/8 Not gained any weight, but not lost any; is currently on 2 cups dry &amp; 1/3 can 3 times daily, will maintain on this and see how we go. If Arnie starts to lose weight, will need to increase AP 1/7/08</p> |

|        |     |                    |       |        |  |
|--------|-----|--------------------|-------|--------|--|
|        |     |                    |       |        | fitted with tick collar and had bath 9/7/8 No change in weight; change feeding plan to 2 cups dry & 1 can wet puppy, 3 times daily AP  |
| 340222 | Dog | Poodle<br>Standard | Suzie | bt5376 | <p>SPECIMEN: Eye swab GRAM STAIN 2+ Leucocytes No bacteria seen. CULTURE Mixed growth including A few colonies of Coagulase negative Staphylococcus sp. [1] The growth of mixed organisms may reflect contamination. Careful interpretation is required to assess their significance. Coagulase negative Staphylococcus sp is usually regarded as non-pathogenic in animals. It is potentially significant if isolated in pure culture from a normally sterile site where a strictly aseptic technique has been followed during specimen collection. 9/2 Needs dental. 21/4/08 R ear v dirty &amp; shallow ulcerations of ear canal - flushed with Leo &amp; apply Canaural twice daily to R ear. L ear cleaned - OK. Recheck Thursday 24/4/08 DMc 24/4 both ears ++ black waxy discharge - dilute malaseb flush recheck Monday If 28/4 Continue canaural both ears for 1 week as responding well. Recheck 1 week (at Noosa). If all good, can probably go onto dilute malaseb weekly (or twice weekly) DMc 21/5 Weight is 20.6kg. Both ears canals clear although red and a little inflamed. No discharge, both canals very hairy. Discuss with foster carer. Recommend - use cotton wool in ears if bathing. May require sedation/GA for ear plucking if problems continue. Also may require topical steroids into ear. Seems atopic - has</p> |

|        |     |                 |       |        |  |  |
|--------|-----|-----------------|-------|--------|--|--|
|        |     |                 |       |        | inflamed eyes and feet chewing/ tail base chewing. RV as required. Given bottle of Malaseb from NDAH. MB   |  |
| 340223 | Dog | Poodle Standard | Rizzo | bt5371 | <p>16/108. Urine color normal followed by sticky bloody material, pos incomplete involution of uterus. RM 9/2 needs vet to check right ear. 8/3/08 purulent otitis left ear , very painful to touch - clean ear, surolan in both ears bid, baytril 50 2 sid 10d, norocarp 50 1 tab sid 5d. To desex Monday for GA and ear clean. Ear swab taken in fridge in consult room lf 10/3 ear clean under GA lf 27/3/8 To start on feeding plan tomorrow, Hills Puppy 1 &amp; 1/4 cups, 3 times daily. 4/4 change feed to 1.25cups 4x daily mixed with wet food as is losing wt vwl left ear is v smelly and has dark brown disch, must be flushed in vet surgery once daily by vet, surolan drops not making a diff, put on baytril drops when we have some vwl 11/4/8 Weight loss recorded, increase to 3 meals per day and 1 &amp; 1/4 cups per meal AP 21/4/08 L ear good - no sign otitis, some black discharge but not painful. Flush both ears with Leo daily. Recheck 24/4/08 DMc 21/4/8 Still losing weight, needs to be increased to 1&amp;1/2 cups Hills Pup Dry &amp; 1/3 can of Hills Pup per meal, 3 times daily AP 24/4 ears still very waxy and dog not happy when looking in ears - dilute malaseb flush recheck monday lf 28/4/08 Dilute malaseb flush. Ears not bad. Recheck 1/5/08 DMc 1/5/08.Ears OK. RM 2/5/8 Still underweight, need to increase feeding to 1&amp;1/2 dry puppy and 1/2 can puppy 3 times daily. 7/5/08 Gone to Ken Mason (AADS) for treatment of ears.</p> |  |

|        |     |                    |        |        |  |  |
|--------|-----|--------------------|--------|--------|--|--|
| 340224 | Dog | Poodle<br>Standard | Goldie | bt5373 | <p>20/1/08 otitis r ear, full of hair &amp; black discharge, fly bites tips of both ears - canaural (bid) &amp; Ilium cream for tips of ears DMc has had 12 pups (1 died) 19/3/08 18.6kg mastitis in 1 R caudal mammary gland - rock-hard &amp; hot, temp&gt;39.7, bit depressed. Inj metacam &amp; noroclav, continue 1 noroclav 250 bid, hot compresses as possible DMc 22/3/08 bar eating milk all glands but no heat cont meds-alc 29/3/08 milk all glands no heat cease medication-alc 2/5/08 subdues in new security has not eaten all her dry food, temp 39.2 some abd discomfort still vaginal discharge ( 7weeks post whelping) here for observation am l eating?-alc 3/5/08. Happy eating, defecating, urinating, active. Seems OK. RM</p>   |  |
| 340225 | Dog | Poodle<br>Standard | Jenny  | bt5134 | <p>9/2 ears cleaned. slight tartar on teeth. 7/4/08 Jenny regurgitating after meal no impvt on git rets- nad on blood sample.No significant findings, consider primary gastrointestinal disease.sent to uni for radiographs and usound - advanced uterus in season monitor for pyo. Bladder wall thickened urine sample for cand s malassthezia in ears and kennel cough. Doxycycline and 1.3 mls ranitide-alc 8/4/08 being fed elevated and no vomiting so continue this 9/4 vomited soft puppy food, small amts only sm 10/4 no vomiting 11/4 19kg eating mush, no vomiting or regurgitating ears filthy lf, firm faeces 12/4 firm faeces no vomit vw 13/4 dog doing well, ears depilled with veet, trial patch 1 hr before both ears treated, hair came out really well, skin of ear did become warm and sl pink, rinsed with malaseb earwash and panalog applied. ears checked ev hr and progressively changed to normal colour, by evening was back to normal, dog now has hair free ear canals which are free of rubbish vw 18/4 both ears look good with no sign of irritation present initially from depil cream vw 21/4/8 Being fostered. Fostered on 1.3ml oral Ranitidine twice daily. Food to be soaked and fed to dog elevated off floor. For check up in two wks. Ears are currently clean and free of discharge and smell. rohan. 22/4/08. Foster parent wanted copy of Uni notes, Post referral page only faxed to foster parent. RM 2/5/08. Went to Uni for</p> |  |

|        |       |            |           |        |   |  |
|--------|-------|------------|-----------|--------|---|--|
|        |       |            |           |        | GIT endoscopy: had lat. chest xray, some gas in oesoph. normal amount. Electrolytes normal PVC/TP OK. Bile and food in stomach, preventing full visualisation of stomach. Oes, appears OK and the part of stomach visualised. Suggest ACTH stim test (done results 8/5/08) barium studies, abdo ultra sound. Rpt. endoscopy (fasted). RM 3/5/08. Ate soft food OK. RM 10/05/08 approx refsotered to Kate Joseph, on special diet.   |  |
| 340226 | Dog   | Poodle Toy | Liquorice | bt5412 | 15/1/08 tested +ve for coccidia. Baycox 15,16,17/01/08.<br>19/1/08 tested +ve for hookworm. Panacur 19,20,21/01/08.   |  |
| 340227 | Dog   | Poodle Toy | Candy     | bt5411 | 15/1/08 tested +ve for coccidia. Baycox 15,16,17/01/08.<br>19/1/08 tested +ve for hookworm. Panacur 19,20,21/01/08.   |  |
| 340228 | Dog   | Poodle Toy | Lolly     | bt5410 | 15/1/08 tested +ve for coccidia. Baycox 15,16,17/01/08.<br>19/1/08 tested +ve for hookworm. Panacur 19,20,21/01/08.<br>28/05/08 retained milk teeth need checking, as food gets stuck..ntg 5/6/8 face feet and tail clip/groom, Retained canines removed under GA, ears plucked 18/07/08 face, feet and tail clip/groom, ears plucked   |  |
| 340229 | Puppy | Poodle Toy | Lily      | bt5409 | 20/1/8 Very flat, has vomited, not eating Gave: - 20ml hartmanns s/c - 0.05ml metomide s/c @ 5pm - lectade to syringe at home 21/1/8 Still flat, though drinking a small amount of lectade, gave: - 0.02ml Clavulox s/c - 20ml Hartmann's s/c - 0.05ml metomide s/c @ 11:30am - 20ml fluids s/c @ 4:30pm 22/1/8 - IV plasmalyte @ 3ml/hr - Bloods to idexx & faecal sample - bleeding from rectum & jugular - painful abdomen - cloudy eyes - 0.2ml temgesic @ 8:40am - Passed formed tar-like motion - Distemper test negative - 0.05ml metomide given @ 12:50pm as puppy vomited tar-like |  |

|        |       |                 |                          |        |  |  |
|--------|-------|-----------------|--------------------------|--------|--|--|
|        |       |                 |                          |        | vomit.   |  |
| 340230 | Puppy | Poodle Standard | NULL                     | bt5408 | 16/1/08. Has had 3 treatments of baycox for coccidia panacur for hooks. RM 16/1/08. D and V, parvo neg. Vytrate only for 24hours. 0.2ml metamide. Scourban. RM 17/1/08. Pup vocal and active, small amount normal looking stool. No vomit. 1.5ml scourban, offer food. RM 18/1/08. Pup flat vomiting, palpable mass in abdomen. Drip started. GA rapinonet, laparotomy, reduce intersusception, bowel good color. 0.08ml temgesic q12h and 0.2ml noroclav sc lf 19/1/08. Died. PM another intersuseption, dead nectrotic gut found. RM   |  |
| 340231 | Dog   | Poodle Standard | NULL                     | bt5407 | 16/1/08. Has had 3 treatments of baycox for coccidia, panacur for hooks. RM 17/1/08. D. Scourban 1.5mls.   |  |
| 340232 | Dog   | Poodle Standard | Edmond Everest Zoolander | bt5406 | 16/1/08. Has had 3 treatments of baycox for coccidia, panacur for hooks. RM 16/1/08, Conjuntivitis L eye, amacin tid, keep eye clean. RM 17/1/08. Eye looks good, cont. meds. Start food. Pup active and vocal. RM 19/1/08 Seems fine, eating ok vwl. 22/1/08 depressed and not eating start fluids and bloods to IDEXX. 0.05ml temgesic sc. PM +++ nasal discharge start VV50 standard doses and mucodine -23/1/08 blood resultsMild currently nonregenerative anaemia with low protein suggesting blood loss, query gastrointestinal ulceration etc; chronic inflammatory leucogram; low bicarbonate-acidosis. 26/1 non reg anaemia worsening ?blood loss, WCC reduced compared to last bloods, hyponatraemia, hypochloraemia, low urea. Today not interested in food, mouth lesions improved compared with yesterday, asked IDEXX to proceed with swabs. No interest in food,temp 38.3, nad abd palp syringe nutrigel, change fluids to |  |

|        |     |                 |               |        |  |  |
|--------|-----|-----------------|---------------|--------|--|--|
|        |     |                 |               |        | 0.9% NaCl, cont VV and tamiflu. Collect faecal and urine samples to send to IDEXX ?abdominal ultrasound to investigate blood loss . vitamin B inj lf 8/2 very chesty cough, eating well, oedema resolved - change antibiotics to baytril 50 1/45 sid, cont ranitidine, carafate and iron lf 18/4 10.2 kg |  |
| 340233 | Dog | Poodle Standard | Bongo         | bt5405 | 16/1/08. Has had 3 treatments of baycox for coccidia, panacur for hooks. RM 17/1/08. D. Scourban 1.5ml. RM   |  |
| 340234 | Dog | Poodle Toy      | Max           | bt5404 | NULL   |  |
| 340235 | Dog | Poodle Toy      | Smidgen       | bt5403 | 4/5/08. Asked to HW test dog, under 6months, not done advise goes on monthly HW Rx. Has clipper burn right side of face. RM  |  |
| 340236 | Dog | Poodle Toy      | Rubin (bungy) | bt5402 | 9/5/08. Have had dog 2 weeks never really had firm stool, on Hills, now has bit of blood in stool. FF -ve. Advise re diet try Hills i/d. RM 8/6/08. Has retained primary canines. Needs extractions. RM 15/7/08 Ear clean and 4 retained canines extracted.  |  |
| 340237 | Dog | Poodle Toy      | Scamp         | bt5401 | 20/3/08 bilat conjunctivitis conoptal bid x 10days-lf  |  |
| 340238 | Dog | Poodle Standard | Neeka         | bt5133 | NULL   |  |

|        |     |                    |       |        |   |
|--------|-----|--------------------|-------|--------|---|
| 340239 | Dog | Poodle<br>Standard | Ned   | bt5732 | 10/1/8 Clipped, Given 1.3ml noroclav injection. 11/1/8 Gave IV Fluids @ 25ml/hr as was quite flat this morning. p.m. - Pulled drip out, drinking well, query eating? Temgesic given tid and continue with antibiotics add nsaid norocarp to treatment regime 1 x daily. 12/1/8 Dog seems very uncomfortable. Query straining to defecate or just too painful to sit down. Place back on IV fluids @ maintenance; eating small amounts of tinned food. 13/1/8 Taken drip out again!! But eating tinned food today; straining and eventually passed soft faeces, seems better in itself. 15/1/8 Happier each day; fur matted to skin will probably need GA to clip and scrub, spray dermacleanse today nad apply neotopic, continue temgesic. |
| 340240 | Dog | Poodle<br>Standard | Lucas | bt5378 | 27/3/8 To start on a feeding plan tomorrow, Hills Puppy, 1 cup 3 times daily AP 6/4/08 Both ears red & black discharge, TMs intact. Flush with 10% malaseb & instil canaural twice daily DMc 10/4/08. Supralorin. RM 11/4/8 2 weeks on & Still recording a weight loss, increase to 3 meals per day of active, 1 & 1/4 cups/meal AP 21/4/08 both ear canals little black discharge & pinnae both red (insect bites?). Flush with Leo cleaner, apply neotopic to inner pinnae. Recheck 21/4/08 DMc 21/4/8 Increase feeds to 1&1/2 cups dry Hills Pup & 1/3 Can per meal, 3 times daily AP 24/4 ears quite good clean with dilute malaseb recheck 1 week lf 7/5/08 Gone to Ken Mason (AADS) for treatment of ears. 04/07/08-tick collar.cfyer |
| 340241 | Dog | Poodle<br>Standard | NULL  | bt5757 | 4/3/08 lethargic, inappetant, mucopurulent nasal discharge, temp 40.8 - Baytril 2.4ml sc lf 5/3/08 depressed lethargic,not eating, serous nasal discharge, mm pink and moist, CRT 1s, breathing ok, chest sounds clear. 6/3/08. as for 5/3 not eating, IV hartmanns 60ml/hr,observe coughing. Baytril 150 od, am. 7/3/08. Dyspneic, congested lungs. Ambroxil 2.3ml iv, cont with baytril and mucohexine 6 tabs bid x 7days. RM PM dyspnoea worsening Ambroxyl and Noroclav refer to UQ 8/3/08 pneumonia possibly secondary to lung tumour - unable to give definitave answer due to diffuse pattern iv fluids oxygeb therapy intensive care- no improvement dog suffering put to sleep on  |

|        |     |                    |         |        |  |  |
|--------|-----|--------------------|---------|--------|--|--|
|        |     |                    |         |        | the 10/3/08-alc  |  |
| 340242 | Dog | Poodle<br>Standard | Trooper | bt5389 | <p>17/3 dog fight, punct on neck, rt ear cleaned, kefvvet 500 1t bid vwl 21/4/08 black discharge both ear canals - not bad. Flush with Leo ear cleaner, recheck 24/4/08. Should not need daily tx. DMc 24/4 black waxy discharge - dilute malaseb flush and pluck. recheck 1 week lf 1/5/08.Ears OK. RM 7/5/8 To start on feeding plan: Weighed in at 18.0kg, feed Hills Pup dry 1&amp;1/2 cups &amp; 3\4 can per meal, 3 times daily AP 13/5/08. Teeth fine. RM 15/5/8 Maintain current feeding program AP 3/6/8 Maintain on a feeding plan of Hills Pup 1 &amp; 1/2 dry and 1/2 can AP mild hot spot on back, shave area and observe no tx required at this stage-alc 10/6/8 Continue on feeding plan of 1&amp;1/2 dry &amp; 3/4 can hills puppy AP 24/6/8 Remain on current feeding plan AP 26/6/08- Vomited food for the last 2 nights, mm pink and moist, CRT 1 sec, skin turgor ok, abdominal palpation tense but no abnormalaties detected. Temperature 38.6 degrees C. No food for 24 hours then feed i/d small amount frequently, observe and note vomiting and faecal consistancy. smadden for cb 15/7/8 Increase feeds to 1&amp;1/2 cups pup dry &amp; 1 can wet AP</p> |  |

|        |     |                 |        |        |  |
|--------|-----|-----------------|--------|--------|--|
| 340243 | Dog | Poodle Standard | Penny  | bt5867 | 9/2 ears cleaned. 4/4/8 Bilateral scleral haem, no other haem spots seen. Bloods taken. Predneferin eye drops morning and night vwl 5/4 marginal lymphocytosis may be reactive, esp in young dog but suggest monitor. HCT and platelets are adequate. No other significant findings. Request IDEXX proceed with coagulation profile. Dogs condition unchanged from yesterday If clotting profile all okay-alc 8/4/08 scleral hge improving dog now has drh and some blood faecal float -ve feed i/d only-alc |
| 340245 | Dog | Poodle Standard | Paris  | bt5878 | NULL   |
| 340246 | Dog | Poodle Standard | Amy    | bt5379 | 18/1/08 parvo +ve start iv Hartmanns, 1ml noroclav sc, 1.5ml gentamicin sc and 2 ml metomide sc. To give equimmune when arrives tomorrow If 9/1/08 coughing cephaforte 300 1 bid 7d and kof kontrol If 9/2 ears cleaned 12/5/08 GA & pluck & flush ears - lot of black greasy discharge DMc  |
| 340247 | Dog | Poodle Standard | Penior | bt5881 | 21/4/08 Lot of hair & black discharge but no otoscope to examine. Flushed with Leo & recheck 24/4/08 DMc 24/4 +++++black waxy discharge partial ear pluck and dilute malaseb flush flush daily and recheck monday If 28/4/08 ears not bad. Dilute malaseb flush. Recheck 1/5/08 DMc 1/5/08. Ears OK. RM 7/5/08 Gone to Ken Mason (AADS) for treatment of ears. 18/6/08 both ears flushed once per week with 5mls of Otoflush and then a squirt of Otodrops instilled into both ears after this.              |
| 340248 | Dog | Poodle Standard | Josie  | bt5891 | 2/2/8 Had 4 puppies, but one was squashed and died. Now has 3, one possibly has a deformed leg. 9/2 Has two remaining puppies, palates checked. 3/3 15.6kg coughing cephaforte 300 1 bid anf 6ml linctol bid If 12/4 both ears inflammed and smelly, flush with malaseb and send home with malaseb ear wash and panalog bid vwl  |

|        |     |                 |        |        |  |
|--------|-----|-----------------|--------|--------|--|
| 340249 | Dog | Poodle Standard | Chilly | bt5590 | 31/1 Dipstick pH 5, +protein, other parameters normal. SG 1.050 15/2 sits awkwardly and to one side, tucks up alot, stiff when she gets up sometimes, when lying on her back, she can't flop legs apart, norocarp 50mg 1/2 t bid for 4 days then 1/2t oid for 4 days 14/7/08 xrays taken, muscle wastage of hindlegs, very tight pectinus musles, osteophyte left hip and extensive remodelling of both heads, shallow acetabulums- send xrays to sue sommerlad for opinion-alc  |
| 340250 | Dog | Poodle Standard | Sarah  | bt5889 | 9/2 ears cleaned.  |
| 340251 | Dog | Poodle Toy      | Floyd  | bt5874 | 9/2 needs a dental.10/4 dental done at bulimba vets  |
| 340252 | Dog | Poodle Toy      | NULL   | bt5749 | 9/2 needs a dental. 27/3/08. Had dental multiple extractions. lincospectrin inj and meatacam. To cont. on oral metacam for two days and noroclav 50 1 bid x 5 days. RM   |
| 340253 | Dog | Poodle Toy      | Goldie | bt5755 | NULL   |
| 340254 | Dog | Labrador        | Noah   | bt5608 | 1/3/08 KC, LINCT 4MLS BID, KEFVET 500 1//2T BID VWL 4/7/08 - tick collar.cfryer  |
| 340255 | Dog | Labrador        | Rudy   | bt5879 | 1///3/08 KC LINCT 4MLS BID, KEFVET 500 1/2T BID VWL 4/7/08 - tick collar.cfryer  |
| 340256 | Dog | Poodle Toy      | Lily   | bt5615 | 9/2 needs a dental. 13/5/08 going to private vet for dental (Chermside) 15/5/08 Some extractions (no hx of which teeth). start on Noroclav 50 (11) 3/4 tab BID for 7 days. CButel. 14/6/08 came in for flea treatment and checked ears because clipper was concerned about her ears...but ears are just dirty so cleaned them up a bit and recommended baby wipes and never to pour water into ear. I dont believe this is a big concern but vets were with an emergency and they affirmed by decision after-karissa 26/7/08 dog has begun to urinate and defecate |

|        |     |            |          |        |  |
|--------|-----|------------|----------|--------|--|
|        |     |            |          |        | inside the house- have asked for urine sample to check to make sure not medical but suspect more behavioural.FP has spoken to kate- dropping in urine sample-alc   |
| 340257 | Dog | Poodle Toy | Isabella | bt5617 | 22/1 dog appeared carrying left hind leg, patella luxation, started walking on it after patella clicked back vwl 9/2 needs a dental. 13/3 grade 3 dental done at morningside vet practice cephaforte 75 1t bid   |
| 340258 | Dog | Poodle Toy | Daisy    | bt5605 | 9/2 needs a dental. 27/3/08. Had dental multiple extractions. lincospectrin inj and meatacam. To cont. on oral metacam for two days and noroclav 50 1 bid x 5 days. RM 14/6/08 came in for flea treatment and checked ears because clipper was concerned about her ears...but ears are just dirty so cleaned them up a bit and recommended baby wipes and never to pour water into ear. I dont believe this is a big concern but vets were with an emergency and they affirmed by decision after-karissa |
| 340259 | Dog | Poodle Toy | Bailey   | bt5900 | 9/2 needs a dental. 10/4/08 dental done at Bulimba vet clinic  |
| 340260 | Dog | Poodle Toy | Kenny    | bt5584 | NULL   |
| 340261 | Dog | Poodle Toy | Ruby     | bt5601 | 6/2 Increased brown d/c coating both lower ear pinna and down both ear canals, ear canals quite narrow. Tx ears cleaned and plucked as best as possible, start on Surolan 8-10 drops BID for 12 days, stop for 2 days, then rchk ears. CBeutel.  |

|        |     |            |       |        |  |
|--------|-----|------------|-------|--------|--|
| 340262 | Dog | Poodle Toy | Abbey | bt5883 | 13/5/08 going to private vet for dentals has 2 fractured canines (Carindale) 15/5/08 Had extractions (no hx of which teeth r/oed). Cover with Amoxyclav 250 (7) 1/2 tab BID for 7 days. CBeutel. 27/7/08 had blanket caught around leg, skin reddened and doog licks area, neotopic H bid vwl  |
| 340263 | Dog | Poodle Toy | Suzy  | bt5609 | 12/5/08. Wilneed a minor scale. RM 13/5/08 going to private vet for dental (Sunnybank) 27/5/08 coughing no discharges, eating, chest clear cephaforte 75 1 1/4 bid 6d and 3 ml linctol bid lf  |
| 340264 | Dog | Poodle Toy | Kaleb | bt5898 | NULL   |
| 340265 | Dog | Poodle Toy | Riley | bt5589 | 9/2 has retained canines.  |
| 340266 | Dog | Poodle Toy | Sarah | bt5604 | 13/5/08 going to private vet for dental (Inala)  |
| 340267 | Dog | Poodle Toy | Laura | bt5614 | 13/5/08 going to private vet for dental (Inala) 27/5/08 small pea size cyst on side of body discharging caseous materiel - cephaforte 75 1 bid 7d , prob req surgical removal lf   |
| 340268 | Dog | Poodle Toy | Ciden | bt5597 | 9/2 retained canines. 27/3/08. Had dental multiple extractions. lincospectrin inj and meatacam. To cont. on oral metacam for two days and noroclav 50 1 bid x 5 days. RM   |
| 340280 | Dog | Poodle Toy | MacY  | bt5882 | 11/3/08 has been shaking its head about 4 times a day, now shaking head constantly shaking- was given milbemite by nw. check ear rightear dirty brown discgharge, swollen or may have polyp- clean malaseb but painful and teeth need clean so book in for ear flush and teeth scale- start on panalog-alc 30/4/08 Ear chk - ears look clean, very scant amount of brown d/c on a swab of the ear canal, therefore ears not cleaned, recc. chk ears fortnightly initially, then possibl try to extend to monthly. CBeutel. teeth scaled and ear flushed not sure when?as not recorded 30/3/08 dog is very timid and fosterparent having difficulty in doing ear, right ear still dark discharge but not too bad would probably be okay with 2x weekly clean. Fosterparent does not want to hurt dog as having difficulty building up the trust so will drop dog in every Wednesday for day in crate- can |

|        |     |            |          |        |  |  |
|--------|-----|------------|----------|--------|--|--|
|        |     |            |          |        | <p>stay in foster room- and then every sunday will come in as sick return for earcleaning- get vn to hold -alc 25/5 dog v good while ears plucked, rt ear has black dry discharge, cleaned out, check in 1 week vwl 1/6 clean rt ear v dirty, FP can't clean ear or put in drops so suggest she brings it in during the week for another clean. she will leave dog during the day possibly vwl 4/6/08 Ear chk, increased brown d/c down the R ear, scant down the L ear, cleaned, rchk in 3-4 days, if increased d/c then, recc. tx with ear drops. CBeutel. 8/6/08. Flush R/ear. looks good. recheck 1 week. RM 14/6/08. Clean R/ear, not much discharge. Suralan after flush. Groom nexr week and check ear then. RM 3/7/08 chk ears, not shaking her head or scratching at her ears, R ear increased brown waxy d/c, L ear very scant brown d/c, ears cleaned with epi-otic, recc. cleaning ears OIW. CBeutel. 13/7/08 check both ears left ear perfect right ear as above scant only. FP also complaining re smelly breath- teeth all good and does not smell here try toothpaste (dispensed) to see if impvt-alc 27/7 ear check, left ear good, rt ear has small amt of yeasty brown disch, cleaned vwl</p> |  |
| 340282 | Dog | Poodle Toy | Scarlett | bt5611 | NULL   |  |
| 340283 | Dog | Poodle Toy | Missy    | bt5599 | 9/2 needs a dental.10/4/08 dental done at Bulimba vet clinic   |  |

|        |     |                 |       |        |   |   |
|--------|-----|-----------------|-------|--------|---|---|
| 340284 | Dog | Poodle Toy      | Devas | bt5600 | <p>9/2 needs a dental.10/4/08 dental done at Bulimba vet clinic<br/> 26/7/08 - Foster Parent has bought Interceptor so has hw prevention and drontal for next 6 months-alc</p>  | <p>26/7/08 left ear,very wet and moist, slight discharge, very painful, pluck some fur and clean, use canaural 2x daily for 10days and then recheck-alc</p>   |
| 340285 | Dog | Poodle Standard | Marty | bt5743 | <p>20/1/08 Fly blown L ear, been on surolan over 1 week, still purulent discharge - change to canaural (bid). Start 1.25 noroclav bid for ear &amp; skin lesions DMc 22/1/08 gastric dilation and volvulus, surgery to decompress stomach and gastroplexy, iv fluids at 60mls/hr cleaned ears, L ear still wiith discharge but less painful methone .6mls qid, noroclav 2mls sc, baytril 2mls sc, metomide 3mls surolan both ears bid alc 23/1 reasonably bright, drank this am but not pm, onite ok , resting comfortably , dec methone to tid alc 24/1 eating hills tinnrd food 1/2 cup qid, had diff urinating, bladder enlarged, benefited from gentle lateral pressure when urinating, takke foor walk ev 2 hrs during the day, small amt soft faeces vwl 26/1 given tardak inj yesterday , stop start urinating but bladder does not feel large, eating small meals ok so cont and cont meds - rechesck bladder pm lf 9/2 discharge from eyes. ears cleaned. older dog. needs dental. still very thin. 21/4/8 Marty weighed 25.8kg when weighed on the 26/4/8, however; his feed sheet has gone missing and we are just starting him on a new one, so until he comes up for his next weigh-in, I am unsure of what his current weight is. He is to continue on a feeding plan of 4&amp;1/2 cups of Hills Puppy Dry per day and 1 can of Hills Pup per day AP 2/5/8 Still underweight, need to increase feeding to 1&amp;3/4 dry puppy and 1/2 can puppy 3 times daily. 9/5/8 Marty is not losing or gaining weight but he does need to add some more kilo's, so will increase meals again to 2 cups of dry Hills Pup &amp; 1 can 3 times daily AP 17/5/08 bit lethargic, found a dead bleeding rat in his kennel (not eaten), appetite decreased a little. Colour good, is eating, abdo relaxed &amp; normal, temp 39.7, observe on rail today DMc 19/5/08 vomiting today, still depressed, soft faeces. Temp 39, colour good, faecal float negative, giardia test negative. Send bloods to Idexx for MBA/CBC DMc 20/5 25.2 kg Depressed,</p> | <p>9/7/08 moist dermatitis, erythema and papules/pustules, R lat tib-fib; L medial tib-fib and abdomen, fleas and flea dirt detected, feet and ears nad DDx - FAD/behavioural ie. COD? Tx - pyodex bath, Capstar, Advantage - cephaforte 600 1 tab BID 2 wks then n/a - macrolone 20 1 +1/2 tab OID 5 days -&gt; 1+1/2 tab EOD 10 days -&gt; 3/4 tab EOD 10 days - Neo-cert BID 13/7/08 Vollie noticed Marty straining to urinate and defecate- felt prostate per rectum is enlarged but soft faeces palpated; passed urinary catheter with ease only small amount of urine - so monitor- consider Tardak 14/7 straining to urinate/defaecate, prostate enlarged but feels smooth and regular - has had Tardak before. Bladder expressed, soft faeces per rectum. Rec Tardak again &amp;/or desexing - wait for response from Inspectorate 17/7/08 Skin looks better, stop neo-cort, and r/o E-collar, continue Cephaforte 600 and macrolone for entire course. Given 2.7ml Tardak S/c for prostatic enlargement (benign hyperplasia??), is urinating and dafacating ok. Kate from behaviour to assess today as bit foster parent last week. Refoster/New</p> |

temp 38.3, colour and refill OK, straining to defaecate and passing liquidy faeces, prostate enlarged on rectal, abd not painful, no vomiting overnight. Bloods show elevated amylase and mild neutrophilia - don't think pancreatitis but have ordered canine specific lipase. Start iv fluids, nil per os till get lipase results, 1.3ml noroclav sc and 2.5ml tardak sc. PM much brighter. If COLLECT: 19/05/08 RECEIVED: 19/05/08 PRINTED: 20/05/08 HAEMATOLOGY

|                 |             |                       |  |
|-----------------|-------------|-----------------------|--|
| Reference Range | RBC         | 6.6                   | x10 <sup>12</sup> /L(4.9-8.2)              |
|                 | HAEMOGLOBIN | 139                   | g/L (100-206)                              |
| HAEMATOCRIT     | 0.40        | L/L                   | (0.35-0.58)                                |
| MCV             | 61          | L fL                  | (64-76)                                    |
|                 | MCH         | 21                    | pg (21-26)                                 |
|                 | MCHC        | 348                   | g/L (310-360)                              |
|                 | PLATELETS   | Clumped and adequate  |  |
| PLATELET COUNT  | 133         | L x10 <sup>9</sup> /L | (200-500)                                  |
| WCC             | 18.4        | H x10 <sup>9</sup> /L | (4.5-17.0)                                 |
|                 | NEUTROPHIL  | 78%                   |  |
|                 | LYMPHOCYTE  | 14%                   |  |
|                 | MONOCYTE    | 6%                    | 1.1  |
|                 | EOSINOPHIL  | 2%                    | 0.4 x10 <sup>9</sup> /L                    |
|                 | BASOPHIL    | 0%                    | < 0.1 x10 <sup>9</sup> /L                  |
| NUCLEATED RBCS  | 1           | /100wbc               | Red cell and white cell morphology normal. |

BIOCHEMISTRY

|                 |                |          |                    |
|-----------------|----------------|----------|--------------------|
| Reference Range | SODIUM         | 143      | mmol/L (139-153)   |
|                 | POTASSIUM      | 5.1      | mmol/L (3.9-5.9)   |
|                 | CHLORIDE       | 110      | mmol/L (101-118)   |
| BICARBONATE     | 16             | mmol/L   | (12-26)            |
| RATIO           | 28.0           | (> 26.0) | ANION GAP          |
|                 | GLUCOSE, SERUM | 22.1     | mmol/L (14.0-32.0) |
|                 | UREA           | 4.4      | mmol/L (3.3-6.8)   |
|                 | CREATININE     | 0.08     | mmol/L (2.5-10.0)  |
|                 | CALCIUM        | 2.4      | mmol/L (0.05-0.15) |
|                 | PHOSPHATE      | 1.6      | mmol/L (1.9-2.9)   |
|                 | CA:P RATIO     | 1.5      | (1.2-3.0)          |
| PROTEIN, TOTAL  | 67             | g/L      | (52-80)            |
| ALBUMIN         | 28             | g/L      | (23-40)            |
|                 | GLOBULIN       |          |                    |

Security with tx. CBeutel. 24/7/08 - Skin looks better, ceased antibiotics. Prostate slightly smaller, continue as above.

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  | <p>39 g/L (25-45) BILIRUBIN, TOTAL 3<br/> umol/L (&lt; 7) ALP 46 IU/L (1-150)<br/> AST 28 IU/L (18-80) ALT 34<br/> IU/L (16-90) CK 145 IU/L (73-510)<br/> CHOLESTEROL 5.0 mmol/L (3.5-9.0)<br/> AMYLASE 2574 H IU/L (333-1500) LIPASE<br/> 435 IU/L (77-750) SAMPLE APPEARANCE</p> <p>Normal Elevated amylase may reflect intestinal or pancreatic<br/> disease. Consider measuring Spec cPL to clarify with respect to<br/> pancreatitis. Mild neutrophilia suggests inflammation.<br/> Reference Range Pancreatic lipase (Spec cPL) 634 H ug/L<br/> (&lt; 200) Sample appearance Normal General<br/> Interpretive Guidelines The Spec cPL assay for pancreatic<br/> lipase is a highly sensitive and specific test for the diagnosis of<br/> pancreatitis in dogs. &lt; 200 ug/L Normal 201 - 400 ug/L<br/> Equivocal The patient may have pancreatitis and serum Spec<br/> cPL should b</p> |
|--|--|--|--|--|

|        |     |                 |         |        |  |
|--------|-----|-----------------|---------|--------|--|
| 340286 | Dog | Poodle Toy      | Chester | bt5596 | 18/4 left ear has yeasty discharge, cleaned, surolan bid vwl   |
| 340287 | Dog | Poodle Toy      | NULL    | bt5587 | 9/2 needs a dental. 11/3/08 Dental done at Carindale vets. Noroclav 250 (3) 1/4 tab BID for 6 days. CBeutel.   |
| 340288 | Dog | Poodle Toy      | NULL    | bt5751 | 9/2 needs a dental. 11/3/08 Dental done at Carindale vets. Noroclav 250 (3) 1/4 tab BID for 6 days. CBeutel.   |
| 340289 | Dog | Poodle Standard | Benson  | bt5792 | 15/5/08 Hot spot L flank, clipped and cleaned. Tx bathe and apply neo-cort BID, Kefvet 500 (20) 1 tab BID for 10 days, and Macrolone 20 (13) 1 tab OID (am) for 5 days, then 1 tab EOD for 10 days, then 1/2 tab EOD for 10 days. E collar applied as licking at hot spot. CBeutel. 25/5 skin healed well, no further tx necessary vwl 10/6/8 Is quite a good weight now, to maintain on this weight with 3/4 Hills Adult dry and 1/2 can hills adult wet 3 times daily AP 04/07/08 - tick collar.cfryer |

|        |     |                 |        |        |   |
|--------|-----|-----------------|--------|--------|---|
| 340290 | Dog | Poodle Standard | Becca  | bt5873 | 9/2 Had 6 puppies 9/2, all palates checked. 5-3-08 Becky and pups have KC. All given clavulox injection. Becky to start oral antibiotics 6-3. pups to start liquid antibiotics also. Becky to have linctol twice daily. Dr Alice O'hare has examined and prescribed the above medication. Heidi   |
| 340291 | Dog | Poodle Standard | Parker | bt5742 | 9/2 right ear dirty, cleaned 2/3/08. Right ear cleaned malaseb, check ears daily. RM 17/3 in dog fight, puncture wounds on neck, ears cleaned, kefvat 500 1tbid vwl 21/4/08 lot of black discharge & hair both ear canals - Leo cleaner daily. Recheck 24/4/08 DMc 28/4/08 ear canal sbasically clean. Dilute MalsaeB flush. Recheck 8/5/08 DMc 24/4 very waxy dilute malaseb flush recheck monday lf 7/5/8 Weighed in at 21.4kg, still needs to increase weight, feed Hills Pup dry 1&1/2 cups & 3/4 can per meal, 3 times daily AP 7/5/08 Gone to Ken Mason (AADS) for treatment of ears. 18/6/08 returned from ken mason - They both need both ears flushed once per week with 5mls of Otoflush and then a squirt of Otodrops instilled into both ears after this. 26/6/08 revisit Ken mason returned 28/6/08 with ciproxin 500mg give 3/4 tablet 2 x daily dog to go back on tuesday 1/7/08 starved for GA 04/07/08 - tick collar.cfrayer 23/7/08 sedated for grooming acp2/Torbugesic 0.2/0.3 topped up with 0.05/0.1 lf |

|        |     |                 |        |        |   |  |
|--------|-----|-----------------|--------|--------|---|--|
| 340292 | Dog | Poodle Standard | Rosie  | bt5734 | 6/6/08 bitten on the face by another dog in the area of the left eye, sclera and conjunctiva v inflamed, eye is open, pussy discharge, pupils even, constrict with light, fluorescin strip test neg for damage to cornes, amacin tid vwI 20/6 both ears have sl brown yeasty discharge, cleaned, plucked, surolan bid both ears, 16.4kg, cohghing , eating well , not as active as usual, cephalixin 300 1t bid, linct 5mls bid vwI |  |
| 340293 | Dog | Poodle Standard | Bonnie | bt5721 | NULL  | 25/6/08 Coughing, no nasal d/c, BAR and eating well. GPE BAR, 1 cough on tracheal palpation, chest sounds clear, no nasal d/c. DDx KC viral. Tx Cephalixin 300 (14) 1 tab BID, and Linctol 5ml BID-TID. CBeutel. |
| 340294 | Dog | Poodle Toy      | Poppy  | bt5877 | NULL  |  |
| 340295 | Dog | Poodle Toy      | Cocoa  | bt5729 | 7/7/08 healing wound on rt side of tail, no Tx necessary, marked patella luxation rhl vwI   |  |
| 340296 | Dog | Poodle Toy      | Milly  | bt5727 | 12/5/08. Will need small scale on teeth. RM 13/5/08 going to private vet for dental (Sunnybank) 27/5/08 coughing no discharges, eating well cephaforte 75 1 bid 6d and 3ml linctol bid lf   |  |
| 340297 | Dog | Poodle Toy      | Cheree | bt5731 | NULL  |  |

|        |     |                 |        |        |  |  |
|--------|-----|-----------------|--------|--------|--|--|
| 340298 | Dog | Poodle Toy      | Fefe   | bt5725 | 7/5 teeth cleaned at Bulimba Vets chaisman   |  |
| 340299 | Dog | Poodle Standard | Brazil | bt5722 | NULL   |  |
| 340300 | Dog | Poodle Toy      | Rosie  | bt5588 | 9/2 needs a dental. 13/3 grade 3 dental done at morningside vet surgery cephaforte 75 1t bid vwl   |  |
| 340301 | Dog | Poodle Standard | Evie   | bt5726 | 2/5/08. KC Tribriksen for weight for 8 days. Linctol 3mls bid. Dog no snot, eating etc. RM   |  |
| 340302 | Dog | Pomeranian      | Gizmo  | bt5581 | NULL   |  |
| 340303 | Dog | Pomeranian      | Puff   | bt5884 | NULL   |  |
| 340304 | Dog | Poodle Toy      | Toby   | bt5586 | NULL   |  |
| 340305 | Dog | Poodle Standard | Will   | bt5870 | 16/3 KC no snotty nose, cephalixin 200 3/4t bid, linctol 3 mls bid vwl 28/5/08 Appointment at Noosa Shelter to check cyst. Foster Carer noticed straight away when picked up dog. Has small sialocoele under angle of jaw RHS. Withdrew approx 3cc blood-tinged stringy fluid. Would rec blood test to check general health before GA to remove gland. Do not consider that drainage or intralesional cortisone will help. May need repeat surgeries to remove. Need to get quote from NDAH for surgery, meanwhile home on ABs. Stomorgyl 10 1.5 tabs once daily for 10 days. Tabs from NDAH, Bill sent to Fairfield. Need to call foster carer next week to discuss best course of action. MB 23/7/08 Foster carers concerned re Will (now called Monty) being generally lethargic and un-puppy-like. He is not keen to go for walks, has shifting lamenesses R fore and hind legs and occasional vomiting with frequent diarrhoea. He showed pain on palpation of R metacarpophalangeal joints over the sesamoids, also on palpation of the right hock and hip and a little with the L hip. Hi s vital signs were all normal. Further investigation eg blood tests/rads may be warranted. Meanwhile Rimadyl chews 25mg bid 5 then 1 sid 5. Panolog oint for mild bilat OE.MB |  |

|        |       |                 |        |        |   |
|--------|-------|-----------------|--------|--------|---|
| 340306 | Dog   | Poodle Standard | Gordon | bt5885 | 17/1/08. Hookworm pos. Panacur for 3 days by wt. RM 9/2/08 blood in stool of pup this am and drops on floor, eating and drinking ok. BT5356 salivating??, fluidy intestines on palp, temp 38.9. BT5885 BAR, temp 39.5, nad on abd palp. Admit collect faecal sample, feed id only lf 10/2 BAR, eating well, FF neg Frank blood in stools, cont i/d and start tribrisen 80 1/2 sid 5d lf 24/2/08 admit again for frank blood- dietary management o'nite rpt faecal sample Photos of faeces attached-alc 25/5 clean rt ear , v dirty vwl 1/6 clean rt ear v dirty, FP can't clean ear or put in drops so suggest she brings it in during the week for another clean. she will leave dog during the day possibly vwl 1/7/08 fitted with tick collar and had bath |
| 340308 | Puppy | Poodle Standard | Monty  | bt5598 | 17/1/08. Hookworm pos. Panacur for 3 days by wt. RM 31/1/08 Coughing and rattly, no nasal d/c, no sneezing. GPE BAR, coughing on tracheal palpation, mild serous nasal d/c, tonsils enlarged, chest sounds clear. DDx KC mild viral Tx Cephalexin 200 (14) 1/2 tab BID for 7 days, ab's d/ped for other pup in case. CBeutel. 13/5/08. Needs ear hair pluck. RM 28/7/08 clipped 25/7/08. Check ears & eyes. ears waxy but no sign infection - epi-otic daily for now. Eyes bilateral conjunctivitis - no sign entropion or ectopic cilia. Try amacin tid. DMc   |
| 340309 | Puppy | Poodle Standard | Carlo  | bt5592 | 17/1/08. Hookworm pos. Panacur for 3 days by wt. RM 25/6/08 Bouts of coughing followed by retching, then brings up flem with a small amt of undigested food, brought up water in the consult room, drank alot of water outside before coming in though, BAR, and eating well. GPE mm pink and moist, CRT 1 sec, skin turgor ok, serous nasal d/c, coughed on tracheal palpation, then retched and brought up water in consult room, chest sounds clear, T 39.4. Tx Cephalexin 300 (14) 1 tab BID for 7 days, Linctol 4ml BID-TID, ears plucked and cleaned. CBeutel. 28/7/08 clipped 25/7/08. Check ears today - waxy but no infection. Advise epi-otic flush daily DMc   |

|        |     |            |       |        |  |
|--------|-----|------------|-------|--------|--|
| 340310 | Dog | Poodle Toy | Angus | bt5895 | <p>17/1/08. Hookworm pos. Panacur for 3 days by wt. RM 9/2 needs a dental. 9/4/08. Dental remove L/U P3, oronasal fistula with blood from nose. LAP. 0.2ml im. RM 8/6/08. Past History, this dog went to uni with oesophageal FB pigs snout stuck ? when, I wrote it all in vet notes, but not here now. It had the oesophageal FB retrieved with gastroscope. Since then, has not been good at swallowing regurgitates food and reeats it. Yesterday stole kibble and not been eating or ? drinking since T. 39.85, sl. laboured breathing. In for observation. 0.2ml noroclav s/c. Suspect oesophageal stricture. If no effort to drink will need a drip. RM 9/6t 38.88, v depressed, not eating, drinking, sl dehydrated, attempts to put drip in unsuccessful, 30ml hart sc, urine collected via catheter, bilirubin +, small amt ketones, sg 1.015, ph 7.5 prot ++, give nutrigel ev 2 hrs, noroclav .2mlsc, throat v sore given colvasone s/c vwl 9/6 later did drink kitten milk vwl 10/6/08 very swollen at back of throat, ulcers on back of tongue, very depressed- not offered food o'nite in preparation for GA today, placed on iv fluids @ maintenace, temp 39.58 referred to uni for scope-alc 17/7/08 back from UQ cont VV50 1/2 sid, losec 10mg sid, carafate 1/4 tab as slurry tid. Feed boluses of no greater than 0.6cm diameter to prevent regurgitation. feed high energy diet so gains weight. return to UQ in 1 week fasted If</p> |
|--------|-----|------------|-------|--------|--|

|        |     |                 |         |        |   |
|--------|-----|-----------------|---------|--------|---|
| 340311 | Dog | Poodle Standard | Red     | bt5356 | 9/2/08 blood in stool of pup this am and drops on floor, eating and drinking ok. BT5356 salivating??, fluidy intestines on palp, temp 38.9. BT5885 BAR, temp 39.5, nad on abd palp. Admit collect faecal sample, feed id only lf 10/2 BAR, eating well, FF neg Frank blood in stools, cont i/d and start tribrissen 80 1/2 sid 5d lf  |
| 340312 | Dog | Poodle Toy      | Rusty   | bt5355 | 9/3 will require a dental. 11/3/08 Dental done at Carindale vets. noroclav 250 (3) 1/4 tab BID for 6 days. CBeutel. 4/6/08 FP concerned not putting weight on, BAR, very active, eating well. GPE NAD, visual inspection and palpation dog is slightly underweight (weight today 4.2kg, 600g loss when last weighed last scale accuracy??) but not that bad, recc. continue to monitor weight. CBeutel. 7/7 biting and chewing rear hind foot, 4.2kg, no aparent reason why, no grass but pebbles in garden beds, ? behaviour, allergy, keep diary as to when he does it, eating optimum and pal. vwI |
| 340313 | Dog | Poodle Standard | Chelsea | bt5413 | 24/1/08 prob less than 5 mths as has no permanent teeth runny eyes, sneezing and coughing, cloudy disch from nose, eating ok, 4kg, KC Baytril 50 1/2t oid, tricin both eyes bid 29/2 waxy otitis externa partial ear pluck, ear clean and home on canaural bid 7d, recheck after drops ceased. Mb send home with ear cleaning solution lf 7/3 ears both great 31/5 yeasty ears x 2, ears plucked and cleaned, otiderm and surolan to go home, clean ears 1/wk when better to keep check vwI 15/6/08 ears excellent-vwI  |

|        |     |                    |       |        |   |  |
|--------|-----|--------------------|-------|--------|---|--|
| 340314 | Dog | Poodle<br>Standard | Jelly | bt5866 | <p>20/1/08 Fly blown L ear, been on surolan over 1 week, still purulent discharge - change to canaural (bid). Start 1.25 noroclav bid for ear &amp; skin lesions DMc 22/1/08 gastric dilation and volvulus, surgery to decompress stomach and gastroplexy, iv fluids at 60mls/hr cleaned ears, L ear still wiith discharge but less painful methone .6mls qid, noroclav 2mls sc, baytril 2mls sc, metomide 3mls surolan both ears bid alc 23/1 reasonably bright, drank this am but not pm, onite ok , resting comfortably , dec methone to tid alc 24/1 eating hills tinnrd food 1/2 cup qid, had diff urinating, bladder enlarged, benefited from gentle lateral pressure when urinating, takke foor walk ev 2 hrs during the day, small amt soft faeces vwI 26/1 given tardak inj yesterday , stop start urinating but bladder does not feel large, eating small meals ok so cont and cont meds - rechesck bladder pm lf 21/4/08 black discharge &amp; lot of hair both ear canals. Leo cleaner daily. Recheck 24/4/08 DMc 24/4 +++ black waxy discharge dilute malaseb flush and recheck monday lf 28/4/08 Ears better. Dilute malaseb flush. Recheck 1/5/08 DMc 1/5/08.Ears OK. RM</p> |  |
| 340316 | Dog | Poodle<br>Standard | Sam   | bt5733 | <p>6/2/08 chk ears, shaking head excessively. GPe moderate brown waxy d/c on a swab of both ear canals, both pinnas are very reddened. Tx ears plucked and cleaned, start on Surolan 8-10 drops BID fpr 5-7 days. CBeutel. 8/3/08 coughing likew something stuck in throat since yesterday - chest clear, temp 39.5, BAR, eating ok, throat ok kefvvet 500 1/2 bid 7d and 5 ml linctol bid lf 17/5/08 both ears full of hair &amp; dirty waxy discharge, inflamed, been scratching. Keep here for GA &amp; pluck &amp; clean (&amp; swab for C &amp; S?) in desex Monday (?) DMc 19/5/08 GA - cleaned and plucked ears.</p>   |  |

|        |     |                 |         |        |   |
|--------|-----|-----------------|---------|--------|---|
| 340317 | Dog | Poodle Standard | Elle    | bt5740 | 9/2 ears cleaned.   |
| 340318 | Dog | Poodle Standard | Abby    | bt5875 | 16/2/08 yeasty disch both ears, L ear reddened, cleaned, surolan both ears bid, vet to clean ev 2nd day, baytril 150 1.5 t oid vwl<br>9/2 ears cleaned. 1/3 LEFT EAR HAS YELLOW LIQUID, PROB PUS NOT SUROLAN, NEEDS CLEANING DAILY BY VETS VWL  |
| 340319 | Dog | Poodle Toy      | Sheep   | bt5585 | NULL  |
| 340321 | Dog | Poodle Standard | Chockie | bt5739 | 1/7/08 fitted with tick collar and had bath   |
| 340322 | Dog | Poodle Standard | Choco   | bt5736 | 22/2/08 ears plucked and cleaned, lge amt of dried yeasty discharge, vet to clean out ev 2 days, eyes x 2 have mucoid discharge, triclin bid vwl  |
| 340323 | Dog | Poodle Standard | Jackson | bt5744 | 27/3/8 To start on a feeding plan tomorrow, hills puppy, 1 & 1/4 cups 3 times daily AP 3/4/8 Weight loss of 300g, stay on feeding plan, re-assess in 1 week AP 16.4.08 Recored weight loss of 1.2kgs. 21/4/8 Feeding charts not updated in 1 month, needs to increase to 1&3/4 cups of Hills Pup Dry & 1/3 can per meal, 3 times daily AP 7/5/8 Weighed in at 18.4kg, still need to increase weight and feed Hills Puppy Dry 1&1/2 cups and wet 3/4 can per meal, 3 times daily AP 13/5/08. Teeth OK. RM 13/5/8 Increase current feeding program to 2 cups hills dry and 3/4 can 3 times daily AP 15/5/08 Pen running, bleeding from the pads. GPE all nails worn down, but not bleeding, mild to moderate erythema and moist dermatitis around main pads all feet worse front feet suspect mild allergies atopy?? causing the dog to lick? Tx malaseb foot soak Fri 16/5, start on Kefvet 500 (14) 1 tab BID for |

|        |     |                 |         |        |  |
|--------|-----|-----------------|---------|--------|--|
|        |     |                 |         |        | <p>7 days, r/a Mon 19/5 may require another foot soak?? CBeutel. 19/5/08 feet look good, no need to continue foot soaks, finish ab course. CBeutel. 27/5/08 23.4 kg reduce feed to 1 1/2 cup dry and 3/4 can lf 3/6/8 Have only gained 400g in the last week, however; doesn't really need to gain that much more, but am scared that if we reduce feeds, will start to lose again, so will maintain on 1 &amp; 3/4 cups h/pup dry &amp; 3/4 can AP 10/6/8 Stay on current feeding plan AP 24/6/8 Remain on current feeding plan AP 2/7/8 Increase meal slightly to 1 &amp; 3/4 cup dry &amp; 1 can wet 3 times daily AP 9/7/8 Maintain above feeding plan &amp; monitor any increase in weight AP</p> |
| 340324 | Dog | Poodle Standard | Sol     | bt5758 | <p>27/3/8 To start on a feeding plan tomorrow, hills puppy 1 &amp; 1/4 cups 3 times daily AP 3/4/8 Weight loss of 2.3kg, stay on feeding plan, re-assess in 1 week AP</p>  |
| 340326 | Dog | Poodle Standard | Charlie | bt5735 | <p>9/2 ears cleaned. will need dental. 27/3/8 To start on a feeding plan tomorrow, hills puppy dry, 1 &amp; 1/2 cups, 3 times daily AP 3/4/8 Weight loss of 800g, remain on feeding plan and re-assess in 1 week AP 16.4.08 Recored loss of 1.4kgs 21/4/8 Feeding chart not updated since 1 month ago; needs to increase meals to 1&amp;3/4 cup of Hills Pup Dry &amp; 1/3 can per meal, 3 times daily AP 7/5/8 Weighed in at 17.4kg, still needs to increase weight, feed Hills Pup dry 1&amp;3/4 cups &amp; 1 can per meal, 3 times daily AP 13/5/08. Teeth OK. RM 27/05/08 dog was weighed in foster home after checking scales same as in vet surgery. dog weighed</p>                             |

|        |     |                    |        |        |  |
|--------|-----|--------------------|--------|--------|--|
|        |     |                    |        |        | 22.6 kg, entered on SM,ntg   |
| 340327 | Dog | Poodle<br>Standard | Jim    | bt5862 | <p>9/2 ears cleaned. 27/3/8 To start on feeding plan tomorrow, hills puppy dry, 1 cup, 3 times daily AP 3/4/8 Recorded weight loss of 400g, stay on feeding plan and re-assess in 1 week AP 16.3.08 Recored weight loss of 1.4kgs 21/4/08 lot of black discharge both ear canals, no inflammation. Leo ear cleaner daily. Recheck 24/4/08 DMc 21/4/8 Feeding chart not updated since 1 month ago; needs to increase to 1&amp;1/2 cups Hills Pup Dry &amp; 1/3 Can per meal, 3 times daily AP 24/4 still lot of discharge in ears - flush with dilute malaseb recheck Monday lf 28/4/08 ears clean. Dilute malaseb flush. recheck 8/5/08 DMc 29/4- appears to have lost a few kilo's please check weight and feeding plan, also VS scales appear to change weight each time dog is replaced onto scales, this is inaccurate and can produce false results. Therefore suggest the first weight given on scales to be the one recorded as this is what has been done when re weighing all poodles. smadden 7/5/8 Weighed in at 20.6kg, still needs to increase weight, feed Hills Pup dry 1&amp;3/4 cups &amp; 1 can per meal, 3 times daily AP</p> |
| 340328 | Dog | Poodle<br>Standard | Martha | bt5869 | <p>26/1/08 purulent otitis r&gt;l clean ears, noroclav 250 1 bid 7d and surolan bid lf 4/2 GA to flush ears swab of r ear to IDEXX lf CULTURE Mixed growth including Heavy growth of Flavobacterium sp [1] Heavy growth of Proteus sp. [2]<br/> Isolate 1 Isolate 2 Cephalexin R R<br/> ChloramphenicolS R Gentamicin S S<br/> Neomycin S R Polymyxin B S R<br/> Tetracycline S R Enrofloxacin S S<br/> Framycetin S R Doxycycline S R 8/2/08<br/> culture resorts back sensitive to enrofloxacin. Start Dicural 100mg 1 and 1/2 tabs daily. Flush ear with malaseb 1ml/30mls water reasses in 10days. 9/2 will need dental, has worn teeth. 18/2 ears better but not cured continue 2 x weekly malaseb flush and another 10days baytril-alc 1/3 A LOT OF GREENY YELLOW PUS BOTH EARS, NEEDS CLEANING BY VETS EACH DAY</p>   |

VWL 2/3. Cleaned malaseb. RM 7/3/08. Baytril drop 12 - 15 each ear. RM 27/3/8 To start on feeding plan tomorrow, hills puppy dry, 1 cup 3 times daily AP 3/4/8 Recorded a loss of 2kg, remain on feeding plan & re-assess in 1 week AP 4/4/08. GA. clip, pluck, flush ears. Right ear worst. Cont baytril and use panalog when comes in. Large mammary mass (mandarin size) L2nd gland. On heat. RM 9/4/08 take swab as ears still a problem now no longer sensitive to baytril SPECIMEN: Ear swab CULTURE No significant yeast or fungi isolated after 2 days. Fungal culture in progress. Ear swab GRAM STAIN No leucocytes seen. No yeast seen. 1+ Gram negative bacilli 1+ Gram positive cocci CULTURE Mixed growth including Moderate growth of Pseudomonas aeruginosa [1] Isolate 1 Cephalixin R ChloramphenicolR Gentamicin S Neomycin S Polymyxin B R Tobramycin S Ticarcillin S Tetracycline R Enrofloxacin R Framycetin S Doxycycline R 12/4/08- given panalog to use on ears until finished. smadden.No yeasts/fungus cultured 16.4.08 Recored weight loss of 1kg 21/4/08 Ears much improved on panalog - reduce frequency of application to twice daily. Recheck Thursday 24/4/08 DMc 21/4/8 Has not had an updated feeding chart for 1 month!! Needs to increase feeding plan to Hills Pup Dry 1&1/2 cups & Canned 1/3 per meal, 3 times daily AP 24/4 Ear check slight ulceration I canal, flush with dilute malaseb and cont panalog lf 28/4/08 Ears good. Discontinue panalog. Dilute malaseb flush. Recheck 1/5/08 DMc 30/4/08 copious mucopurulent d/c down both ear canals 2 days after stopping panalog, looking at dogs previous hx and ear swabs recc. cleaning dily for 5-7 days and treating with Otimax (gentamicin) which all organisms have been resistant to, need to continue for a minimum of 2 weeks after the ears look good. CBeutel. 7/5/08 Gone to Ken Mason (AADS) for treatment of ears. 19/5/08 Apparently has not eaten properly for about 5 days. Was desexed at Ken Masons 5 days ago due to pyo. Temp 38.1, BAR, wound looks fine. Bloods to

|        |     |                    |        |   |   |
|--------|-----|--------------------|--------|---|---|
|        |     |                    |        | <p>Idexx DMc 19/5/8 Results IDEXX Data within normal limits. Nothing in these data to explain the observed clinical changes. (insufficeint space to save results) 22/5/8 Lisa Mason placed her on amoxicillin/clavulanic acid and previcox 21/5/8. urine sample collected which looked abnormal,cystocentesis conductedand sent for culture. Her ears are improving. AEC 23/5/8 biosy result necrotising panniculitis</p> |   |
| 340329 | Dog | Poodle<br>Standard | Maddie | bt5872  | <p>21/4/08 both ear canals very hairy, black ceruminous discharge, very mild inflammation. Try flushing with Leo ear cleaner daily. Recheck Thursday 24/4/08 DMc 24/4 ear flus dilute malaseb recheck monday lf 28/4/08 ears clean. Dil. malaseb flush. Recheck 8/5/08 DMc 6/5/08 bilat conj chlorsig 2x daily- rex 7 days -alc 7/5/8 Weighed in at 19.8kg, Needs to start feeding plan: feed Hills Pup dry 1 cup &amp; 3/4 can per meal, 3 times daily AP 13/5/08. Teeth OK. RM 15/5/8 Small weight gain, increase meals to Hills pup dry 1&amp;1/4 cups &amp; 1 can 3 times daily AP 10/6/8 Change onto an adult maintenance diet; 1 cup dry &amp; 3/4 can twice daily AP 13/5/08 17.8kg dog fight puncture wounds left carpal area clip and clean - Betamox 200 1 bid 6d and 0.7ml metacam sc lf 14/6/08. Still a bit lame, cont. abiotics. RM</p> |

|        |     |                    |        |   |
|--------|-----|--------------------|--------|---|
| 340330 | Dog | Poodle<br>Standard | Conrad | bt5759<br>8/2/08 coughing mucopurulent ocular discharge some pigmentation to eyes neg stain. Cough on tracheal palpation. Kefvet 500 3/4 bid, 1 ml kof kontrol and clean eyes and instill triclin bid If 5/3/08 Coughing, serous nasal d/c, chest sounds clear. Tx Kefvet 500 (7) 1/2 tab BID for 7 days, and Linctol 5mls BID. CBeutel. 27/3/8 To start on a feeding plan tomorrow, Hills puppy, 1 & 1/4 cups 3 times daily AP 3/4/08 GA bilat lower lid entropion surgery (pred laterally on both eyes). Inj Benacillin, s/r 10-14 days, E-collar when recovers If 8/4 several sutures pulled out of left eye despite E-collar. If 11/4 removed sutures conjunctiva very inflammed and squinting - clean eyes and instill conoptal bid If Recorded a weight loss, increase feeds to 3 meals per day and 1 cup of active per meal AP 21/4/8 Increase feeds to 1&1/2 cups Hills Pup Dry & 1/3 Can per meal, 3 times daily AP 1/5/08.Ears OK. RM 2/5/8 Is at a good weight for it's height, need to maintain this by feeding 3/4 dry adult and 1/2 can adult twice daily. 9/5/08. Left eye still entropion, right eye v slight. Needs further surgery. Keep eyes clean , wash min 2 x daily. RM 5/6/8 GA & bilateral entropian operation of lower lid left more so then right, mainly medial edge of lower eyelid RM 7/6/08 swelling of lower lid and some discharge try oral abiotics and antflamatories Betamox 200mg 1 tab bid and norocarp 50mg -alc 8/6/08. left eye lowerlid a bit swollen/ infected/ suture reaction, clean, cont. abiotics. RM 11/6/08. Remove sutures, Noroclav 250 1 bid x 6days, clean wound 2x daily.RM 14/6/08. Has had daily eye cleans, wounds granulating well, can go back on foster Monday, with meds if not finished and twice daily eye cleans. Recheck 2 weeks. RM 19/6/08. Eyes healed, perhaps R/eye may need 3rd surg at DSX. RM |
|--------|-----|--------------------|--------|---|

|                |     |                    |           |                 |  |  |  |  |           |           |           |            |   |   |   |                 |   |                |   |   |   |            |     |            |   |   |   |             |   |              |   |   |   |              |     |              |   |   |   |             |     |
|----------------|-----|--------------------|-----------|-----------------|--|--|--|--|-----------|-----------|-----------|------------|---|---|---|-----------------|---|----------------|---|---|---|------------|-----|------------|---|---|---|-------------|---|--------------|---|---|---|--------------|-----|--------------|---|---|---|-------------|-----|
| 340331         | Dog | Poodle<br>Standard | Rav       | bt5864          | <p>SPECIMEN: Eye swab GRAM STAIN 1+ Gram negative bacilli 1+ Gram positive cocci No yeast seen. No leucocytes seen. CULTURE Mixed growth including Heavy growth of Beta haemolytic Streptococcus sp. [1] Heavy growth of E.coli [2] Moderate growth of Pseudomonas aeruginosa [3]</p> <table border="0"> <tr> <td></td> <td></td> <td></td> <td>Isolate 1</td> <td>Isolate 2</td> <td>Isolate 3</td> </tr> <tr> <td>Cephalexin</td> <td>S</td> <td>S</td> <td>R</td> <td>Chloramphenicol</td> <td>S</td> </tr> <tr> <td>R Fusidic Acid</td> <td>R</td> <td>R</td> <td>R</td> <td>Gentamicin</td> <td>R S</td> </tr> <tr> <td>S Neomycin</td> <td>R</td> <td>R</td> <td>S</td> <td>Polymyxin B</td> <td>R</td> </tr> <tr> <td>Tetracycline</td> <td>S</td> <td>R</td> <td>R</td> <td>Enrofloxacin</td> <td>S S</td> </tr> <tr> <td>S Framycetin</td> <td>R</td> <td>R</td> <td>S</td> <td>Doxycycline</td> <td>S R</td> </tr> </table> <p>R 9/2 Both eyes cleaned, ears cleaned. 27/3/8 To start on feeding plan tomorrow, hills puppy dry, 1 cup, 3 times daily AP 3/4/8 Weight loss of 2.3kg, stay on feeding plan and re-assess in 1 week AP 16.4.08 Recored weight loss of 1.4kgs. 21/4/8 Huge weight loss, needs to increase feeds to 1 3/4 cup Hills Pup Dry and 1/3 can per meal, 3 times daily AP 7/5/8 Weighed in at 20.2kg, still needs to increase weight, feed Hills Pup dry 1 1/2 cups &amp; 3/4 can per meal, 3 times daily AP 13/5/08. coughing linctol 5mls bid. Teeth OK. RM 15/5/8 Maintain current feeding program AP 28/5/08 Coughing, serous nasal d/c, no sneezing, chest sounds clear. Tx Kefvet 500 (14) 1 tab BID for 7 days, and Linctol 5ml BID whilst coughing. CBeutel. 10/6/8 Continue feeding Hills pup dry 1 1/2 cup and 3/4 can, 3 times daily AP 24/6/8 Good weight, stay on current feeding plan AP 7/7/8 Maintain current feeding plan AP 15/7/8 Maintain current feeding plan AP 22/7/08- Came up for weighing today from NS and noticed coughing so on tx and to old sec. Treatment = 1 and 3/4 tribbissen once daily and 1.5mls kof kontrol twice daily. smadden</p> |  |  |  | Isolate 1 | Isolate 2 | Isolate 3 | Cephalexin | S | S | R | Chloramphenicol | S | R Fusidic Acid | R | R | R | Gentamicin | R S | S Neomycin | R | R | S | Polymyxin B | R | Tetracycline | S | R | R | Enrofloxacin | S S | S Framycetin | R | R | S | Doxycycline | S R |
|                |     |                    | Isolate 1 | Isolate 2       | Isolate 3  |  |  |  |           |           |           |            |   |   |   |                 |   |                |   |   |   |            |     |            |   |   |   |             |   |              |   |   |   |              |     |              |   |   |   |             |     |
| Cephalexin     | S   | S                  | R         | Chloramphenicol | S  |  |  |  |           |           |           |            |   |   |   |                 |   |                |   |   |   |            |     |            |   |   |   |             |   |              |   |   |   |              |     |              |   |   |   |             |     |
| R Fusidic Acid | R   | R                  | R         | Gentamicin      | R S  |  |  |  |           |           |           |            |   |   |   |                 |   |                |   |   |   |            |     |            |   |   |   |             |   |              |   |   |   |              |     |              |   |   |   |             |     |
| S Neomycin     | R   | R                  | S         | Polymyxin B     | R  |  |  |  |           |           |           |            |   |   |   |                 |   |                |   |   |   |            |     |            |   |   |   |             |   |              |   |   |   |              |     |              |   |   |   |             |     |
| Tetracycline   | S   | R                  | R         | Enrofloxacin    | S S  |  |  |  |           |           |           |            |   |   |   |                 |   |                |   |   |   |            |     |            |   |   |   |             |   |              |   |   |   |              |     |              |   |   |   |             |     |
| S Framycetin   | R   | R                  | S         | Doxycycline     | S R  |  |  |  |           |           |           |            |   |   |   |                 |   |                |   |   |   |            |     |            |   |   |   |             |   |              |   |   |   |              |     |              |   |   |   |             |     |

|        |     |            |                 |        |   |  |
|--------|-----|------------|-----------------|--------|---|--|
| 340332 | Dog | Poodle Toy | Audrey (anne P) | bt5357 | <p>10/1/8 Was being clipped, raw skin - vet suggested sedation for further clipping. 11/1/8 Clipped by Anne P with no problems; no sedation needed. Some bad necrotic skin damage to LHL (flesh starting to expose holes) and minor necrotic skin wounds around neck from excess matting of hair. Matted with faeces and urine. 12/1/8 Not eating, monitor eating and drinking; eats if fed by hand. 13/1/8 Necrotic area medial surface LHL; apply solusite &amp; light dressing as tendons exposed, etc. Add nsaid (norocarp) to treatment regime. Eating tinned food. 14/1/8 Copious amounts of blackish, bloody discharge from vulva; depressed; is very dirty; cleaned and surolan applied to both ears. Change bandage daily; check temperature daily; surolan both ears morning and night. 15/1/8 Ate small amount; temperature 39.67; dog happier today. Vulval discharge fresh blood not blackish; cont. IV fluids, replace line as not working and bandage very wet. 16/1/8 Possibly pregnant?? Temperature 38.96; doing very well, seems much brighter and happier +++ ! Changed bandage LFL, wound slowly healing, applied Jelonet, softban and co-flex. 17/1/08 Bright, small amount of mucoid discharge from vulva, T39.02, HR 160, bandage removed, wounds look ok, rebandage if she is licking at it. Start noroclav 50 tablets 1 bid, continue surolan. 18/1/08 BAR, cont noroclav and surolan lf. 19/1/08 BAR, as per 18/1 vwl.</p> | <p>31/1/08 Small abcess RHL 2nd toe for the last week or so, FP has been expressing purulent material, but hasn't been healing, was on Noroclav when fostered out last Mon. GPE purulent material expressed from fluctuant lump 2nd toe RHL, not painfull. DDx FB?? Tx Baytril 50 (5) 1/2 tab OID for 10 days, express secretion and bath foot in Pyohex OID, INI will need G/A to explore. CBeutel.</p> |
|--------|-----|------------|-----------------|--------|---|--|

|        |     |                 |      |        |  |
|--------|-----|-----------------|------|--------|--|
| 340333 | Dog | Poodle Standard | Lola | bt5741 | 2/3/08. Has been treated for a hot spot on right flank. Today just hairmat with cream impregnated into flank, hydrobath and just observe flank, looks clean and dry. Hydrobath again in 1 week. RM 27/3/8 To start on feeding plan tomorrow, hills puppy dry, 1 & 1/4 cup, 3 times daily AP 28/3/08 R eye weeping RM. 11/5/08 bilateral lower lid entropion (L>R), amacin tid. Also 21 noroclav 250 (1.5 bid) for scabby dermatitis on forelegs (L>R) 22.8kg DMc 14/5/8 sugrrey bilat. Bilat entropian surgeruy. Lateral canthotomy and ventral toll out. LApn givn. Hoe elizabethan collar 10 daus and SO 10 days. Home tricin bid and Norocarp 50mg 1.5 tabs oid 5 days 23/5/08. S/R, quite bad ectropion, right eye worse than L. Perhaps swelling in lat canthus of R/E will go down and ectropion may improve. Stop all eye meds and wait & see recheck 1 month. (Has tricin on standby)RM  |
| 344636 | Dog | Poodle Standard | Lulu | bt5756 | NULL   |
| 348079 | Dog | Poodle Standard | Emma | bt5500 | 23/2/08 Eyes - bilateral ocular discharge. Reddened conjunctiva and cataracts. Some vision L eye alc. 23/2/08. Has been on Conoptal for 7 dasy for eyes. 29/2/08. Change to tricin bid as out of conopt. Wipe eyes twice daily. Recheck one week. RM 7/5/8 Weighed in at 18.8kg, Needs to start on feeding plan: feed Hills Adult dry 1/2 cup & 1/2 can per meal, 3 times daily AP 13/5/08. Teeth OK, has large umbilical hernia. RM 15/5/8 Not really gained much, have increased meals to 1 cup dry hills & 1/2 can 3 times daily AP 23/5/08. Not eating as very picky eater. Hence weight loss. RM 10/6/8 Change onto an adult maintenance diet; 1 cup dry & 3/4 can twice daily AP 13/6/08. Fight with another bt, says sore R/H. no injury found, no lameness, wait and see. RM 14/6/08. Doing well. RM 2/7/8 Remain on current feeding plan AP 1/7/08 fitted with tick collar and had bath.ntg 9/7/8 Slowly losing weight; increase meals to 1 & 1/2 cup and 1 can wet, 3 times daily AP |

Private Surrendered

|        |     |                 |                    |        |   |
|--------|-----|-----------------|--------------------|--------|---|
| 340244 | Dog | Poodle Standard | Cleo               |        | 9/2 Had 9 puppies, palates checked.<br>7/3/08 clip and bath<br>9/5/08. Check lower incisors, worn teeth. RM   |
| 348213 | Dog | Poodle Standard | Maggie/<br>Mirsham | 31619o | 21/4/08 lot of black discharge & hair both ear canals. No otoscope to examine tho. Leo daily. Recheck 24/4/08 DMc<br>24/4 partial ear pluck and flush with dilute malaseb r/c Monday If<br>28/4/08 ears clean. Dilute malaseb flush. Recheck 8/5/08 DMc<br>8/5/08. Ears OK no more Rx.at present. RM<br>30/05/08 checked for vet treatmentm, no vac on sm, given nobivac dhp and will be due for one in month time. ntg   |
| 348214 | Dog | Poodle Standard | Max/Morris         | 28744o | 27/3/8 To start on feeding plan tomorrow, hills puppy food, 1 cup 3 times daily AP<br>3/4/8 Recorded a loss of 1.6kg, keep on the same feeding plan and re-assess in 1 week AP<br>16.4.08 Recored a loss of 600grams.<br>21/4/8 Feeding chart not updated for a while, increase feeds to 1&1/2 cups Dry Hills Pup & 1/3 can per meal, 3 times daily AP<br>22/4/08. Cut on nose from wire, will be OK. RM<br>7/5/8 Weighed in at 19.8kg, still needs to increase weight, feed Hills Pup dry 1&3/4 cups & 1 can per meal, 3 times daily AP<br>13/5/08. Teeth OK. RM<br>15/5/8 Maintain current feeding program AP |
| 348215 | Dog | Poodle Standard | Amber              | 30229o | 13/3/08 Bilateral mucopurulent ocular d/c, conjunctival hyperaemia and conjunctival vessels on the sclera, bilateral entropion lateral canthus R>L.<br>Tx bath eyes and apply Conoptal BID. CBeutel.<br>27/3/8 To start on feeding plan tomorrow, Hills Puppy 1 & 1/4 cups, 3 times daily AP<br>13/3/08 Bilateral mucopurulent ocular d/c, conjunctival hyperaemia and conjunctival vessels on the sclera, bilateral entropion lateral canthus R>L.<br>Tx bath eyes and apply Conoptal BID. Perhaps for entropion surgery.<br>RM  |

|  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  | <p>11/4/8 Maintain current feeding plan AP<br/>21/4/8 Increase feeds to 1&amp;1/2 cups Hills Pup Dry &amp; 1/3 can per meal, 3 times daily AP<br/>2/5/8 Still underweight, need to increase feeding to 1&amp;1/2 dry puppy and 1/2 can puppy 3 times daily.<br/>14/5/08 Bilat entropion with bilat canthotomies with ventral lid roll outssurgery and dental?? in dsx book<br/>15/5/08 Conoptal BID for 7-10 days, and Norocarp 50 (9) 3/4 tab BID for 6 days for eye lid surgery. CBeutel.<br/>23/5/08. S/R. Eyes look good. RM</p> |  |
|--|--|--|--|--|--|